



www.joanelec.com



NINGBO HUIPU ELECTRICAL APPLIANCE CO., LTD

NO.2 GONGYE ROAD, XINPU TOWN, CIXI CITY, NINGBO, CHINA 315322



+86-574-63255917



+86-(0)-135 8668 7007



sales@joanelec.com johnny@joanelec.com



*innovative
comfort*



Heating

Cooling

ORIGINAL CREATIVE

www.joanelec.com



21

YEARS OF HUIPU

"SPECIALIST MANUFACTURER OF INNOVATIVE HEATING AND COOLING"

18

YEARS OF EXPORTING

"EXPORT TO OVER 30 DIFFERENT COUNTRIES ALL OVER THE WORLD"

100

PROFESSIONAL ENGINEERS AND MAN POWERS

"FOCUS ON AND SPECIALIST"

57

PIECES OF STANDARD CERTIFICATES AND PATENTS

"ORIGINAL CREATIVE AND RELIABLE"

ABOUT US

Huipu born as an innovative comfort creator, aim to provide the worldwide people with efficient and affordable heating&cooling appliances, to make your home more comfortable.





Our mission

- Durable quality
- Value for price
- Efficient communication
- Exceed your expectation



Our production place reached up to 20000 square meter, we have established a comprehensive quality control system according to ISO 9001 and BSCI standard, our yearly production capacity is more than one million pieces. Our professional R&D teams bring several new innovative heaters and coolers to the market in every year.

What we believe is “work together, trust together, grow together, win together” !

CERTIFICATES



CONTENTS

EVAPORATIVE AIR COOLER	PAGE 02-09
ELECTRIC COOLING FAN	PAGE 10-16
INDUSTRIAL COOLING FAN	PAGE 17-21
PTC FAN HEATER	PAGE 22-28
OTHER ELECTRIC HEATER	PAGE 29-41

Personal Air Cooler



AC-08

- Fan Speed Settings: Low/Mid/High
- USB Power Supply
- With replaceable ice packs to cool down the air (2pcs)
- Built-in 7 colour atmosphere lights
- Adjustable tilt-angle
- Simple operation
- 1 x USB Type-C cable include

LZ01-19QR

- Fan Speed Settings: Low/Mid/High
- 2pcs Detachable water box Capacity: 750ml
- 2 in 1 Function: Air Cooler/ Humidifier
- With 7 colour LED light
- 1 x USB cable include

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
AC-08	10W	7.2/8.4	645×245×590/8pcs	2560	5280	5840
LZ01-19QR	5w	9/12.1	1190×205×370/12pcs	4632	9612	11508



Compact square Shape
Centrifugal blower, providing whole room
air circulation



LL04-18J

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 6L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LL04-18J	65w	4.7/5.6	350×320×650	400	826	952



6L



LL04-18JR

LRG04-18JR (with Heating function)

- 3 Fan Speed: Low/Mid /High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 6L
- Detachable Water tank for easy clean and fill water, to avoid Bacterium pollution
- LED display screen (can be turn-off independently)
- Remote control
- 0~12 hours timer
- Easy to fill crushed ice and water at top cover
- Portable handle and wheels for easy movement
- ionizer to refresh air (optional)

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LL04-18JR	65w	4.7/5.6	350×320×650	400	826	952
LRG04-18JR	cooling: 65w heating:2000w	4.7/5.6	350×320×650	400	826	952

Cooling



LQ-AC02

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator



LQ-AC02S

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- Cooler/Humidifier function
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Remote control



LQ-AC07

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator



NDY-DL2

- 3 Fan Speed: Low/Mid /High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 4L
- Remote control
- 0~12 hours timer
- Easy to fill crushed ice and water at top cover
- Wheels for easy movement
- Automatic horizontal louvers swing

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-AC02	80w	3.9/4.7	300×275×600	600	1200	1350
LQ-AC02S	80w	4.0/4.8	300×275×600	600	1200	1350
LQ-AC07	80w	3.5/4.1	280×252×530	780	1635	1890
NDY-DL02	65W	3.9/4.7	300x270x570	580	1220	1440



LG04-11C

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 8L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator
- 0~2 hours timer



LG04-11CR

LRG04-11CR

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 8L
- 0~7.5hours timer
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Ionizer to fresh the air
- Remote control
- LRG04-11CR with Heating function(2000w)



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LG04-11C	65w	6.4/7.6	418x332x747	274	588	680
LG04-11CR	65w	6.5/7.7	418x332x747	274	588	680
LRG04-11CR	cooling: 65w heating:2000w	6.7/7.9	418x332x747	274	588	680



**9H
TIMER**

**SLEEP
MODE**

**REMOTE
CONTROL**



8L



LG04-11BR1

LRG04-11BR1



- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 8L
- 0~9hours timer
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Ionizer to fresh the air
- Remote control
- LRG04-11CR with Heating function(2000w)

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LG04-11BR1	65w	6.5/7.7	433×331×864	225	469	567
LRG04-11BR1	cooling: 65w heating:2000w	6.7/7.9	433×331×864	225	469	567



12L Big Volume



12L



LQ-AC04

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 12L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing



RFS-19R

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 12L
- Cooler/Humidifier/Purify function
- Automatic horizontal louvers swing
- Manual vertical air direction adjust
- Ionizer to fresh the air
- Easy to fill cold water and ice cubes at top cover
- Lack water indicator
- Touch control
- 0~7.5hours timer
- Remote control



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-AC04	80w	5.2/6.2	325x340x725	340	700	825
RFS-19R	80w	5.2/6.3	330x330x770	336	710	815



Evaporative Tower Air Cooler breeze Cool



6L



BL-SD3-D

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Detachable Water Tank Capacity: 6L
- Cooler/Humidifier/Purify function
- Automatic horizontal louvers swing
- Manual vertical air direction adjust
- Touch control
- 0~12hours timer
- Remote control



WTF-01L

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Detachable Water Tank Capacity: 7L
- Cooler/Humidifier/Purify function
- Oscillating for wide scope cooling
- LED display screen and touch control
- Easy to fill cold water and ice cubes at top cover
- LED lights can be turn-off for better sleep
- 0~12hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BL-SD3-D	80w	4.7/5.9	915x327x266	357	721	840
WTF-01L	75w	5.8/6.8	1115x335x295	400	840	980

3 Adjustable Heights – doubles as a Desk Fan and Stand Fan



Horizontal
Oscillating



Vertical
Oscillating



CF-01

- Fan Speed Settings: Low/Mid/High
- 3 in 1 Air circulating Fan: Table Fan, Stand Fan, Pedestal Fan
- Oscillation from left to right
- Oscillation from up & down



CF-01R

- Fan Speed Settings: Low/Mid/High
- 3 in 1 Air circulating Fan: Table Fan, Stand Fan, Pedestal Fan
- Oscillation from left to right
- Oscillation from up & down
- LED display and touch control
- 0~12 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CF-01	45w	2.6/3.8	460x270x325	650	1380	1600
CF-01R	45w	2.6/3.8	460x270x325	650	1380	1600



14' 360degree Oscillating Fan

3D Air circulating

- 92cm as Standing Fan
- 72cm as Mid-Stand Fan
- 52cm as Table Fan



Horizontal Oscillating



Vertical Oscillating



CG-01



CG-01R



Basic Feature

- Size: 14'
- 3 Fan Speed: Low/Mid/High
- 360degree Oscillating, 3D winds for air circulating
- 3-in-1 adjustable height: 52cm as Table Fan, 72cm as Mid-Stand Fan, 92 cm as Standing Fan
- Oscillation left & right and up & down
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 6m/s
- Adjustable tilt-angle
- Simple installation, Fan head assembled already

Advance feature for CG-01R

- LED display
- 0~12 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CG-01	45w	2.8/3.8	505x215x370	750	1544	1710
CG-01R	45w	2.8/3.8	505x215x370	750	1544	1710



3 Adjustable Heights – doubles as a Desk Fan and Stand Fan

CG-022

CG-022R (with remote)



Basic Feature

- Size: 14'
- 3 Fan Speed: Low/Mid/High
- 3-in-1 adjustable height: 40cm as Table Fan, 70cm as Mid-Standing Fan, 98 cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed >6m/s
- Adjustable tilt-angle
- Round base diameter: 32cm
- Simple installation, Fan head assembled already

Advance feature for CG-022R

- 0~7.5 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CG-022	45w	2.3/3.2	350x285x370	800	1650	1848
CG-022R	45w	2.3/3.2	350x285x370	800	1650	1848



**3-in-1 Cooling Fan
Multi-Fan Blades
Super Low Noise**



BW-361

- Fan Speed Settings: Low/Mid/High
- 3 in 1 adjustable height: 60cm as Table Fan, 90cm as Floor Fan, 120cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 5m/s
- Adjustable tilt-angle
- Steady round base



BW-361Y

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- 3 in 1 adjustable height: 60cm as Table Fan, 90cm as Floor Fan, 120cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 5m/s
- Adjustable tilt-angle
- Steady round base
- 0~7 hours timer to set off
- Remote control



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BW-361	45w	4.9/5.4	350x280x370	790	1570	1800
BW-361Y	45w	4.9/5.4	350x280x370	790	1570	1800



**16 inch
Strong Air Flow
Multi-Cooling Fan
3-in-1 Height adjustable**

MFS-360

MFC-360R (with remote)



Basic Feature

- Size: 16'
- 3 Fan Speed: Low/Mid/High
- 3-in-1 adjustable height: 70cm as Table Fan, 105cm as Mid-Standing Fan, 137cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 7m/s
- Adjustable tilt-angle
- Steady round base
- Simple installation, Fan head assembled already

Advance feature for MFC-360R

- Fan Mode: Normal/Sleep
- 0~7 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
MFS-360	50w	4.6/5.5	440x290x470	520	1040	1170
MFS-360R	50w	4.6/5.5	440x290x470	520	1040	1170



Rechargeable bladeless Desk Fan



BF-001

- Bladeless design
- 3 Fan speed: Low/Mid/High
- Rechargeable 2200mAh Lithium-ion battery
- Battery capacity remaining display
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord
- 1 x USB cable include
- Height: 340mm



BF-002

- Bladeless design
- 3 Fan speed: Low/Mid/High
- Rechargeable 2200mAh Lithium-ion battery
- Battery capacity remaining display
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord
- 1 x USB cable include
- Height: 390mm

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BF-001	5w	7.8/10.6	600×450×380/12pcs	3240	6942	8100
BF-002	5w	7.0/9.2	750×300×420/10pcs	2940	6300	7200



Rechargeable Bladeless Fan

BF-003


- Bladeless design
- 3 Fan speed: Low/Mid/High
- Rechargeable 6000mAh Lithium-ion battery
- Battery capacity remaining display
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord
- 1 x USB cable include
- Height: 510mm



Brushless DC Motor Patent design

BLF-360L

- Bladeless design, DC Fan Motor, adaptor cord
- 24 Steps Fan Speed Settings
- Timer: 0~12 hours
- Remote control
- LED display screen and touch control
- Oscillation function
- ionizer function to fresh the air
- Height: 1000mm



TF-13-RL

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Turbine Air Duct & Bladeless
- Oscillation function
- 0~24 hours timer
- LED display and touch control
- Remote control
- Strong air flow, max > 5.5m/s
- Height: 1170mm



FT20-17AR

- 3 Fan speed: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Oscillation function
- 0~12hours timer
- LED display and touch control
- Remote control
- Height: 1000mm

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BF-003	10w	1.8/2.2	165×165×537	1988	4200	4800
BLF-360L	35w	3.5/4.6	1050×250×250	440	940	1035
TF-13-RL	50w	3.9/4.9	1220x205x205	550	1130	1300
FT20-17AR	40w	3.8/4.7	1070x232x208	570	1200	1300



High Velocity Fan



DFC-F series Black colour

- High velocity cooling fan
- Fan Speed Settings: Low/Mid/High
- Aluminium blade



DFC-F series Chrome colour

- Full metal housing
- Strong and safety grill
- Adjustable tilt-angle

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F12	12'	40w	2.7/3.3	360×170×360	1296	2724	3050
DFC-F14	14'	50w	2.9/3.7	420×180×430	910	1820	2100
DFC-F16	16'	90w	3.5/4.2	470×185×470	720	1490	1630
DFC-F18	18'	110w	4.7/5.5	510×185×510	572	1196	1380
DFC-F20	20'	120w	5.4/6.2	550×190×550	480	1008	1175


Built-in Oscillating



DFC-FB series Black colour

- High velocity cooling fan
- Fan Speed Settings: Low/Mid/High
- Aluminium blade
- Full metal housing
- Strong and safety grill
- Adjustable tilt-angle
- Built-in oscillation function

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F16-B	16'	90w	4.8/5.7	515×290×515	396	808	880
DFC-F18-B	18'	110w	5.1/6.1	570×310×570	288	592	692
DFC-F20-B	20'	120w	6.0/7.1	630×320×630	215	430	516



DFT-B series

DFT-B-B series (Oscillation)



- High velocity cooling fan
- Fan Speed Settings: Low/Mid/High
- Aluminium blade
- Adjustable height upto max 145cm
- Adjustable tilt-angle
- DFT-B-B series with built-in oscillation function

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFT-B16	16'	90w	8.0/8.7	470x250x480	515	1080	1200
DFT-B18	18'	110w	8.6/9.4	510x250x520	440	920	1035
DFT-B20	20'	120w	9.6/10.4	550x250x560	360	756	840
DFT-B16-B	16'	90w	8.2/9.2	510x310x510	352	736	805
DFT-B18-B	18'	110w	8.6/9.9	570x310x570	280	575	655



Powerful Air Circulating Fan



DFC-F14M

- High velocity Air Circulating Fan
- Fan Speed Settings: Low/Mid/High
- Aluminium blade
- Metal housing
- Adjustable tilt-angle
- Air Flow Volume (m³/h):6000

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F14M	14'	150w	6.5/7.8	450x270x520	443	918	1076



Rechargeable Camping Fan



DFC-F10R

- Rechargeable 12V DC Fan
- Power: 25W
- Fan Speed Settings: Low/High
- Aluminium blade
- Driven by 7500mAh Lithium-ion battery
- Adjustable 360 degrees tilt-angle
- Portable design
- Keep running for 4 hours in high speed,15 hours in low speed

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F10R	10'	25w	1.8/2.3	320x310x220	1250	2550	3000



PTC HEATER



HP-12AR

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element,instant heating
- 0~9 hours timer
- Oscillation
- tip-over switch

PTC-2018

- Two heating power
- Electronic temperature control ranges:15-37°C
- Over-heat Protection
- PTC heating element,instant heating
- 0~9 hours timer
- Oscillation
- tip-over switch

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HP-12AR	600/1200w	13.2/14.2	440x320x520/12PCS	4764	9960	10920
PTC-2018	600/1200w	13.2/16.6	530x400x535/12PCS	3108	6228	7344



PTC-170

- 2 heating power: 600/1200W
- Adjustable thermostat control
- Cool winds available
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- tip-over switch
- Power indicator



MB-2

- 2 heating power:1000/2000W
- Electronic temperature control:15-35C
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- tip-over switch
- 0~12 hours timer
- Atmosphere lights can be adjustable brightness



PTC-6602

- 2 heating power:1000/2000W
- Adjustable thermostat control
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- tip-over switch
- Oscillation



PTC-6602R

- 2 heating power:1000/2000W
- Electronic temperature control: 15-35C
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- tip-over switch
- Oscillation
- LED display screen

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-6602	600/1200w	9.6/12.5	480x376x385/12PCS	5340	11100	13260
MB-2	1000/2000w	10.5/12	590x40x240/6PCS	2832	6000	7050
PTC-170	1000/2000w	9.0/11.4	580x410x355/6PCS	1920	4080	4800
PTC-6602R	1000/2000w	9.2/11.5	580x410x355/6PCS	1920	4080	4800



Low Profile Heat

PTC-820



- 2 heating power:1400/2000W
- Adjustable thermostat control
- Cool winds available
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- Turbo Fan blower, super quietly and high efficient
- Low Profile heating, ideal to warm feet

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-820	1400/2000w	9.6/12.5	435x290x500/6PCS	2826	5874	6564



Slimline digital Ceramic Tower Heater



HP23-20A HP23-20AR (electronic)

- Two heating power: 1000/2000W
- Adjustable thermostat control
- Cool winds available
- Over-heat Protection
- PTC heating element, instantly heating and high efficient
- Portable carry handle
- tip-over switch
- Oscillation
- LED display and touch control (HP23-20AR)
- 0~9hours timer(HP23-20AR)
- Remote control (HP23-20AR)



HP23-20B HP23-20BR (electronic)

- Two heating power: 1000/2000W
- Adjustable thermostat control
- Cool winds available
- Over-heat Protection
- PTC heating element, instantly heating and high efficient
- Portable carry handle
- tip-over switch
- Oscillation
- LED display and touch control (HP23-20BR)
- 0~9hours timer(HP23-20BR)
- Remote control (HP23-20BR)

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HP23-20A/20AR	1000/2000w	1.6/1.9	210x210x500	1248	2640	3025
HP23-20B/20BR	1000/2000w	1.6/1.9	210x210x500	1248	2640	3025



Slimline digital Ceramic Tower Heater with Mood lights



Fan



Low Heat



High Heat



PTC-920L

- Power Settings: Fan/Low Heat/High Heat
- ECO energy-saving Mode
- Electronic temperature control ranges: 15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0-9 hours timer
- Oscillation
- tip-over switch
- Atmosphere lights (blue/purple/red)
- LED display and touch control
- Remote control



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-920L	1200/2000w	2.0/2.5	210x210x580	1188	2420	2695



PTC-2077L

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0~8 hours timer
- Oscillation
- tip-over switch
- Fire flame effective and can be turn-off separately
- LED display and touch control
- Remote control



PTC-2071L

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0~8 hours timer
- Oscillation
- tip-over switch
- Fire flame effective and can be turn-off separately
- LED display and touch control
- Remote control

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-2077L	1000/2000w	12/16.6	540x380x665/4PCS	1230	2550	3000
PTC-2071L	1000/2000w	13.5/17.8	915x425x380(4PCS)	720	1520	1720



Industrial Ceramic Heater



IFH-20B



IFH-20A



IFH-30A

- Two heating power
- Adjustable thermostat (Only for IFH-20A IFH-30A)
- Over-heat Protection
- PTC heating element, instant heating
- Adjustable tilt-angle
- Metal housing

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
IFH-20B	1000/2000w	8.5/11.0	700x240x370 (6PCS)	2682	5598	6600
IFH-20A	1000/2000w	9.9/12.8	535x280x630 (6PCS)	1824	3840	4224
IFH-30A	1500/3000w	14.2/17.8	620x305x715(6PCS)	1326	2832	3120



NSB-200A

- Two heating power: 1000/2000W
- Cool wind available
- Adjustable thermostat
- Over-heat Protection
- Power indicator
- Portable handle
- Optional: Tip-over switch



FH-18

IP21 Suitable
For bathroom

- Two heating power:1000/2000W
- Cool wind available
- Adjustable thermostat
- Over-heat Protection
- Power indicator light
- Portable handle
- tip-over switch optional
- IP21 for bathroom use (FH18-P)

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
NSB-200A	1000/2000w	8/9.2	580x230x550/8PCS	3008	6400	7640
FH-18/FH18-P	1000/2000w	6/7.1	435x210x535/6PCS	3060	6570	7500



2-in-1 Air Circulator Fan & Heater



VH2000

- 2-in-1 Air Circulation Fan & Heater
- Hot Wind for winter & Cool Wind for summer
- Two heating power
- Adjustable thermostat
- Over-heat Protection
- High air volume
- tip-over switch



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
VH2000	1000/2000w	9.6/11.3	628x300x530 (6PCS)	1662	3444	4038

CH-03A



- Two Heating Power
- Carbon Fiber tubes special processed
- Long and equably heating
- Oscillation function
- tip-over switch

NS-900H



- Heating Power: 900W
- Carbon Fiber tubes special processed
- Long and equably heating
- Oscillation function
- Diamond shape grid
- tip-over switch
- With 180min timer
- Portable handle

NS-1200EW



- Two Heating Power
 - Carbon Fiber tubes special processed
 - Long and equably heating
 - Oscillation function
 - Diamond shape grid
 - tip-over switch
- IP24



NS-1200EW-RC



- Two Heating Power
- Carbon Fiber tubes special processed
- Long and equably heating
- Oscillation function
- Diamond shape grid
- tip-over switch
- 0~8 hours timer
- Remote control
- IP24

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
CH-03A	450/900w	1.7/2.3	310x160x705	795	1715	2000
NS-900H	900w	2/2.8	220x170x660	736	1440	1800
NS-1200EW	600/1200w	12.1/16.8	615x510x910 (4pcs)	454	835	976
NS-1200EW-RC	600/1200w	12.1/16.8	615x510x910 (4pcs)	454	835	976



OTH02-D2-20L

- There heating power:1000/1350/2000W
- Carbon Fiber tubes special processed
- Long and equably heating
- LED display and touch control
- 0~24hours timer
- tip-over switch
- Anodized extruded Aluminum alloy housing, high grade aluminum reflector
- Steady basement
- Portable handle
- IP24
- Wireless Remote control
- Height:1180mm



OTH01-D2-20L

- There heating power:1000/1350/2000W
- Carbon Fiber tubes special processed
- Long and equably heating
- LED display and touch control
- 0~24hours timer
- tip-over switch
- Anodized extruded Aluminum alloy housing, high grade aluminum reflector
- Steady basement
- Portable handle
- IP24
- Wireless Remote control
- Height:1180mm



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
OTH02-D2-20L	1000/1350/2000w	5.6/6.8	160x125x1205	1120	2380	2750
OTH01-D2-20L	1000/1350/2000w	6.0/7.2	220x125x1245	810	1690	1970



Mica Heater



SY-A15



SY-A20

- 2 Heat Settings
- Mica heating element, dual face infrared radiant and convection heat
- Adjustable thermostat control
- over-heat protection
- Tip-over switch
- Wheels for easy movement
- Portable handle



SY-A20B

- 2 Heat Settings
- Mica heating element, dual face infrared radiant and convection heat
- Adjustable thermostat control
- over-heat protection
- Tip-over switch
- Wheels for easy movement
- Portable handle

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
SY-A15	750/1500w	4.1/5.0	660×120×620	570	1100	1380
SY-A20	1000/2000w	4.6/5.9	760×120×620	490	950	1200
SY-A20B	1000/2000w	4.1/5.1	590×125×650	570	1100	1380



CH-10

CH-10F



Basic Feature

- 3 Heat setting
- Adjustable thermostat control
- Over heat protection
- Portable handle
- Full metal housing
- Power indicator light

Advance feature for CH-10F

- Turbo Fan to circulating heat more efficient

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
CH-10	750/1250/2000w	2.5/3.0	565x140x415	820	1700	2000
CH-10F	750/1250/2000w	2.8/3.3	565x140x415	820	1700	2000



Convection Panel Heater



- Two Heating Power
- Adjustable thermostat control
- Over-heat protection
- Wheels for easy movement
- X-shape aluminium Heating element, instant heating
- Free standing and wall mounted

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
CPN-1000	500/1000w	3.5/4.0	510×120×500	950	1935	2270
CPN-1500	750/1500w	4.0/4.8	655×120×500	750	1510	1780
CPN-2000	1000/2000w	5.2/6.1	820×120×500	620	1210	1400
CPN-2500	1250/2500w	5.7/6.7	940×120×500	500	1030	1180




NS-200SE

- Two Heating Power
- X-shape aluminium heating element
- Electronic temperature control
- LED display
- full metal housing



NS-200SD

- over-heat protection
- Wheels for easy movement
- 0~8hours timer
- IP24 waterproof
- Free standing and wall mounted



NS-200SF

- Two Heating Power
- X-shape aluminum heating element
- Electronic temperature control
- LED display
- over-heat protection
- Wheels for easy movement
- 0~8hours timer
- IP24 waterproof
- Free standing and wall mounted



NS-200SM

- over-heat protection
- Wheels for easy movement
- 0~8hours timer
- IP24 waterproof
- Free standing and wall mounted

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
NS-200SE	1000/2000w	4.5/5.5	800×140×520	500	1030	1176
NS-200SD	1000/2000w	4.5/5.5	800×140×520	500	1030	1176
NS-200SF	1000/2000w	4.5/5.5	800×140×520	500	1030	1176
NS-200SM	1000/2000w	4.8/5.8	800×140×520	500	1030	1176



Oil Free Radiator Heater

CFH-X (Remote)

CFH-XA (wifi)



Oil Free radiator

- Tempered glass front panel, elegant design
- Full metal housing for better heat efficient
- Double aluminum heating elements, super heat efficient
- 3 Heat Mode: anti-frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display Screen
- 0~24hours timer
- Touch control
- Remote control
- Over-heat protection
- Tip-over switch
- Wheels for easy movement

Advance feature for CFH-XA

- with Tuya WIFI & APP with 7x24h weekly mode

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
CFH-200X	2000w	5.8/7.0	545×150×670	510	1060	1240
CFH-250X	2500w	5.8/7.0	545×150×670	510	1060	1240



HDB-C3

- Adjustable thermostat control
- Over-heat protection
- Portable handle
- Cord storage
- Power indicator light

Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HDB-C2-5	5	500w	2.5/3.0	270×130×425	1880	3900	4386
HDB-C2-7	6	700w	3.5/4.0	340×130×425	1480	3060	3440
HDB-C2-9	9	1000w	4.6/5.2	420×130×425	1210	2510	2840
HDB-C2-11	11	1000w	5.7/6.2	495×130×425	1030	2130	2400



HDB-E3

- 3 Heating Power
- Adjustable thermostat control
- Over-heat protection
- Portable handle
- Cord storage
- Tip-over switch
- Wheels for easy movement

Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HDB-E3-5	5	400/600/1000w	4.6/5.2	295×135×590	1197	2460	2950
HDB-E3-7	7	600/900/1500w	5.8/6.6	390×135×590	906	1890	2200
HDB-E3-9	9	800/1200/2000w	7.2/8	465×135×590	756	1575	1900
HDB-E3-11	11	1000/1500/2500w	8.6/9.5	540×135×590	646	1355	1628

COH-X (Remote)

COH-XA (wifi)



- Tempered glass front panel, elegant design
- Full metal housing for better heat efficient
- 3 Heat Mode: anti-frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display Screen
- 0~24hours timer
- Touch control
- Remote control
- Over-heat protection
- Tip-over switch
- Wheels for easy movement

Advance feature for COH-XA

- with Tuya WIFI & APP with 7x24h weekly mode

Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
COH-200X-9	9	2000w	9.2/10.7	505×150×670	530	1110	1300
COH-250X-11	11	2500w	12.5/14	585×150×670	460	960	1135

OH-250DX

- Tempered glass front panel, elegant design
- 3 Heating Power
- 3 Heating Mode:anti frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display, 24hours timer
- touch control switch with Tuya WIFI & APP with 7x24h weekly mode
- Over-heat protection
- Tip-over switch
- Wheels for easy movement
- Black or White color available
- 9Fin/11Fin/13Fin



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
QH-200DX-9	800/1200/2000w	9.2/10	465×140×655	648	1350	1600
QH-250DX-11	1000/1500/2500w	10.5/11.8	540×140×655	552	1158	1360
QH-300DX-13	1200/1800/3000w	11/12.5	615×140×655	486	1026	1216

Electric Fireplace



FP-98

- Two Heating Power:1000/2000W
- With realistic flame effect
- Adjustable thermostat
- Aluminum fan blower for super quietly heating
- Over-heat protection
- Electronic dump control switch
- ABS and metal housing
- Tip-over switch



FP816



- Two Heating Power
- Flame Effect, transparent glass panel
- Electronic temperature contro: 15-45C
- 0~12 hours timer
- Electronic dump control switch
- Over-heat protection
- LED display
- Remote control

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
FP-98	1000/2000w	5.4/6.6	425x285x535	420	850	1050
FP816	1000/2000w	3.9/4.9	380x230x570	550	1150	1350



FP-86

- Two Heating Power:1000/2000W
- With realistic flame effect
- Adjustable thermostat
- Aluminum fan blower for super quietly heating
- Over-heat protection
- Electronic dump control switch
- Tip-over switch



FP-86S

- Two Heating Power:1000/2000W
- With realistic flame effect
- Electronic Temperature control:15-45C
- LED display and touch control
- Aluminum fan blower for super quietly heating
- Over-heat protection
- Electronic dump control switch
- Tip-over switch
- 0~12hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
FP-86	1000/2000w	3.9/4.5	340x210x430	900	1900	2250
FP-86S	1000/2000w	4.0/4.6	340x210x430	900	1900	2250